

CLAIMS

1. A drinkable tea for therapy of dermatitis characterized in that it contains extracts drawn from one, two or more medicinal herbs selected from the group consisting of Lightyellow Sophora Root, Isatis Leaf, and Terminalia Fruit.

2. The drinkable tea for therapy of dermatitis described in claim 1 characterized in that an auxiliary material is added to said extracts drawn from medicinal herbs.

3. The drinkable tea for therapy of dermatitis described in claim 1 or 2 characterized in that said auxiliary material contains extracts drawn from one, two or more medicinal herbs selected from the group consisting of Japanese Angelica Root, Oldenlandia diffusa, Smilax Glabra, Dried Tangerine Peel, Wild Chrysanthemum Flower, Corydalis, Peppermint, Baikal Skullcap, Lithospermum, Kudingcha, Smartweed, and Licorice.

4. The drinkable tea for therapy of dermatitis described in claim 1 characterized in that said extracts drawn from medicinal herbs contain Lightyellow Sophora Root, Isatis Leaf, and Terminalia Fruit and the weight ratios of extracts drawn from Lightyellow Sophora Root, Isatis Leaf, and Terminalia Fruit

are 41 to 50% of Lightyellow Sophora Root, 41 to 50% of Isatis Leaf, and 3 to 10% of Terminalia Fruit.

5. The drinkable tea for therapy of dermatitis described in claim 4 characterized in that the weight ratio of said extracts drawn from medicinal herbs: Lightyellow Sophora Root, Isatis Leaf, and Terminalia Fruit and the auxiliary material in said drinkable tea is 18 to 25% : 75 to 82%.

6. The drinkable tea for therapy of dermatitis described in claim 5 characterized in that said drinkable tea is in the form of liquid.

7. The drinkable tea for therapy of dermatitis described in claim 5 characterized in that said drinkable tea is in the form of powder or granule.

8. The drinkable tea for therapy of dermatitis described in claim 7 characterized in that the weights of extract ingredients drawn from respective medicinal herbs per g of a drinkable tea are: Lightyellow Sophora Root, 0.09 to 0.11 g; Isatis Leaf, 0.09 to 0.11 g; and Terminalia Fruit, 0.018 to 0.022 g; and the weights of said auxiliary material are: Japanese Angelica Root, 0.045 to 0.055 g; Oldenlandia diffusa, 0.09 to

0.11 g; Smilax Glabra, 0.103 to 0.132 g; Dried Tangerine Peel, 0.045 to 0.055 g; Wild Chrysanthemum Flower, 0.09 to 0.11 g; Corydalis, 0.013 to 0.022 g; Peppermint, 0.09 to 0.011 g; Baikal Skullcap, 0.045 to 0.055 g; Lithospermum, 0.09 to 0.11 g; Kudingcha, 0.045 to 0.055 g; Smartweed, 0.09 to 0.11 g; and Licorice, 0.0273 to 0.033 g.

9. The drinkable tea for therapy of dermatitis described in claim 8 characterized in that the weights of extract ingredients drawn from respective medicinal herbs per g of a drinkable tea are: Lightyellow Sophora Root, 0.1 g; Isatis Leaf, 0.1 g; and Terminalia Fruit, 0.02 g; and the weights of said auxiliary materials are: Japanese Angelica Root, 0.05 g; Oldenlandia diffusa, 0.1 g; Smilax Glabra, 0.12 g; Dried Tangerine Peel, 0.05 g; Wild Chrysanthemum Flower, 0.1 g; Corydalis, 0.02 g; Peppermint, 0.01 g; Baikal Skullcap, 0.05 g; Lithospermum, 0.1 g; Kudingcha, 0.05 g; Smartweed, 0.1 g; and Licorice, 0.03 g.

10. The drinkable tea for therapy of dermatitis described in any of claims 7 to 9 characterized in that 1 g of said drinkable tea in the form of powder or granule is contained in a unit package.